



## CUSTOMER INFORMATION

### Hi Vis Bird Eye Polo Shirt

#### Description:

For great UV protection, try our Hi Vis Bird Eye T-Shirts. This UPF 40+ T-Shirt is great for huge variety of outdoor activities including security and event marshalling.

- Conforms to EN ISO 20471 Class 2
- Conforms to GO/RT 3279 (Orange versions only)
- Tested against BS EN 13758-1:2001+A1:2006
- UPF 40+ rating for protection against harmful UV rays
- 2 band & brace
- Three button placket
- Side vent detail

#### Fabric:

- 100% polyester bird eye knitted fabric with added wicking treatment

#### Applications:

Tasks with a hi-vis requirement – traffic, security, event marshalling, driving, construction. Rail/underground (Orange version only)

#### Washcare Symbols:



Wash cycle



Do not bleach



Do not tumble dry



Low heat iron



Do not dry clean

#### Colourways:



Yellow



Orange

#### Product Codes:

|         |         |               |
|---------|---------|---------------|
| 39T41-7 | S - 4XL | Hi Vis Yellow |
| 39T81-7 | S - 4XL | Hi Vis Orange |

#### Standards:



EN ISO 20471



GO/RT 3279




EC council directive 89/686/EEC

EN ISO 20471:2013 - High Visibility Warning Clothing for Professional Use

GO/RT 3279:2008 - Rail Industry Standard (Orange Garment Only)

BS EN 13758-1:2001+A1:2006 - Protection against harmful UV rays



#### Size Chart:


| Measurements in cm | S       | M         | L         | XL        | 2XL       | 3XL       | 4XL       |
|--------------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| To fit (A)         | 92 - 96 | 100 - 104 | 106 - 112 | 116 - 122 | 124 - 132 | 136 - 144 | 148 - 152 |

Issue No.: 1

Issue Date: 01/05/2015

**Packaging:** 1 piece per bag - 20 bags per bag

**Outer Carton Artwork:**



**Inner Artwork:**



**Feature Symbols:**



Product can be washed 25 times

The information shown on this specification sheet is intended as a guide and is advisory only. All details were correct at the time of issue. As conditions of use are ultimately beyond our control, we advise that the product is tested for the particular application before use.